



**Technický a zkušební ústav  
stavební Praha, s.p.**

Prosecká 811/76a  
190 00 Prague  
Czech Republic  
tel.: +420 286 019 400  
W: [www.tzus.cz](http://www.tzus.cz)



Member of



[www.eota.eu](http://www.eota.eu)

## European Technical Assessment

**ETA 22/0631**  
**of 31/10/2022**

General part

### Technical Assessment Body issuing the European Technical Assessment

Technický a zkušební ústav stavební Praha, s.p.

|                                                                                                                     |                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Trade name of the construction product</b>                                                                       | KB, KG, KK, KL, KM, KM (2.5 mm), KMP, KMR, KMRP, KSO, KP, KPL, KR, KS, KW, KWO, LBZ, LK, LZ, WB, WBD, WBZ, WL |
| <b>Product family to which the construction product belongs</b>                                                     | Product area: 13<br>Three-dimensional Nailing Plates                                                          |
| <b>Manufacturer</b>                                                                                                 | DOMAX Sp. z o.o.<br>Aleja Parku Krajobrazowego 109<br>84-207 Koleczkowo<br>Łężyce<br>Republic of Poland       |
| <b>Manufacturing plant</b>                                                                                          | DOMAX Sp. z o.o.<br>Aleja Parku Krajobrazowego 109<br>84-207 Koleczkowo<br>Łężyce<br>Republic of Poland       |
| <b>This European Technical Assessment contains</b>                                                                  | 125 pages including 6 Annexes, which form an integral part of this European Technical Assessment              |
| <b>This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of</b> | EAD 130186-00-0603 Three-dimensional nailing plates                                                           |

Translations of this European technical assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (excepted the confidential Annex(es) referred to above). However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body - Technický a zkušební ústav stavební Praha, s.p. Any partial reproduction has to be identified as such.

## 1 Technical description of the product

The three-dimensional nailing plates are one-piece, non-welded (KB, KG, KK, KL, KM, KM (2.5 mm), KMP, KMR, KMRP, KSO, KP, KPL, KRD, KS, KW, KWO, LBZ, LK, LZ, WB, WBD, WBZ, WL) elements made of the cold-formed steel sheet grade DX51D according to EN 10346, structural steel S235 according to EN 10025-2 or cold-formed steel grade DC01 according to EN 10130 with corrosion protection Fe/Zn 12, zinc coating mass of 275 g/m<sup>2</sup> or Hot-dip galvanization (HDG), (see list below). The three-dimensional nailing plates correspond to the drawings and dimensions given in Annex 1.

**Table 1** Technical description of the product

| Designation of Domax connector | Material | Thickness | Kind of corrosion protection | Type connector | Intended use                                                                                        |
|--------------------------------|----------|-----------|------------------------------|----------------|-----------------------------------------------------------------------------------------------------|
| WB 1                           | DX51D    | 2         | Z275                         | Beam-hanger    | Used to connect two piece of timber, end-grain to side-grain or timber – concrete or timber – steel |
| WB 2                           |          |           |                              |                |                                                                                                     |
| WB 3                           |          |           |                              |                |                                                                                                     |
| WB 4                           |          |           |                              |                |                                                                                                     |
| WB 5                           |          |           |                              |                |                                                                                                     |
| WB 6                           |          |           |                              |                |                                                                                                     |
| WB 7                           |          |           |                              |                |                                                                                                     |
| WB 8                           |          |           |                              |                |                                                                                                     |
| WB 9                           |          |           |                              |                |                                                                                                     |
| WB 10                          |          |           |                              |                |                                                                                                     |
| WB 11                          |          |           |                              |                |                                                                                                     |
| WB 12                          |          |           |                              |                |                                                                                                     |
| WB 13                          |          |           |                              |                |                                                                                                     |
| WB 14                          |          |           |                              |                |                                                                                                     |
| WB 15                          |          |           |                              |                |                                                                                                     |
| WB 16                          |          |           |                              |                |                                                                                                     |
| WB 17                          |          |           |                              |                |                                                                                                     |
| WB 18                          |          |           |                              |                |                                                                                                     |
| WB 19                          |          |           |                              |                |                                                                                                     |
| WB 20                          |          |           |                              |                |                                                                                                     |
| WB 21                          |          |           |                              |                |                                                                                                     |
| WB 22                          |          |           |                              |                |                                                                                                     |
| WB 23                          |          |           |                              |                |                                                                                                     |
| WB 24                          |          |           |                              |                |                                                                                                     |
| WB 25                          |          |           |                              |                |                                                                                                     |
| WB 26                          |          |           |                              |                |                                                                                                     |
| WB 27                          |          |           |                              |                |                                                                                                     |
| WB 28                          |          |           |                              |                |                                                                                                     |
| WB 29                          |          |           |                              |                |                                                                                                     |
| WB 30                          |          |           |                              |                |                                                                                                     |
| WB 31                          |          |           |                              |                |                                                                                                     |

| Designation of Domax connector | Material | Thickness | Kind of corrosion protection | Type connector | Intended use |
|--------------------------------|----------|-----------|------------------------------|----------------|--------------|
| WB 32                          |          |           |                              |                |              |
| WB 33                          |          |           |                              |                |              |
| WB 34                          |          |           |                              |                |              |
| WB 35                          |          |           |                              |                |              |
| WB 36                          |          |           |                              |                |              |
| WB 37                          |          |           |                              |                |              |
| WB 38                          |          |           |                              |                |              |
| WB 64                          |          |           |                              |                |              |
| WBZ 21                         | DX51D    | 2         | Z275                         | Beam-hanger    |              |
| WBZ 22                         |          |           |                              |                |              |
| WBZ 23                         |          |           |                              |                |              |
| WBZ 24                         |          |           |                              |                |              |
| WBZ 25                         |          |           |                              |                |              |
| WBZ 26                         |          |           |                              |                |              |
| WBZ 27                         |          |           |                              |                |              |
| WBZ 28                         |          |           |                              |                |              |
| WBZ 29                         |          |           |                              |                |              |
| WBZ 30                         |          |           |                              |                |              |
| WBZ 31                         |          |           |                              |                |              |
| WBZ 32                         |          |           |                              |                |              |
| WBZ 33                         |          |           |                              |                |              |
| WBZ 34                         |          |           |                              |                |              |
| WBZ 35                         |          |           |                              |                |              |
| WBZ 36                         |          |           |                              |                |              |
| WBZ 37                         |          |           |                              |                |              |
| WBD 105L                       | DX51D    | 2         | Z275                         | Beam-hanger    |              |
| WBD 105P                       |          |           |                              |                |              |
| WBD 130L                       |          |           |                              |                |              |
| WBD130P                        |          |           |                              |                |              |
| WBD 140L                       |          |           |                              |                |              |
| WBD 140P                       |          |           |                              |                |              |
| WBD 170L                       |          |           |                              |                |              |
| WBD 170P                       |          |           |                              |                |              |
| WBD 200L                       | DX51D    | 1         | Z275                         | Beam-hanger    |              |
| WBD 200P                       |          |           |                              |                |              |
| WL 5                           |          |           |                              |                |              |
| WL 6                           |          |           |                              |                |              |
| WL 7                           |          |           |                              |                |              |
| WL 8                           |          |           |                              |                |              |
| WL 9                           | DX51D    | 2         | Z275                         | Angle          |              |
| LK 1                           |          |           |                              |                |              |
| LK 2                           |          |           |                              |                |              |
| LK 3                           |          |           |                              |                |              |

| Designation of Domax connector | Material | Thickness | Kind of corrosion protection | Type connector | Intended use                                                               |
|--------------------------------|----------|-----------|------------------------------|----------------|----------------------------------------------------------------------------|
| LK 4                           |          |           |                              |                |                                                                            |
| LK 5                           |          |           |                              |                |                                                                            |
| LK 6                           |          |           |                              |                |                                                                            |
| LK 7                           |          |           |                              |                |                                                                            |
| LK 8                           |          |           |                              |                |                                                                            |
| KG                             | DX51D    | 1.5       | Z275                         | Angle          | Used to connect two piece of timber or timber – concrete or timber – steel |
| KRD 1                          | DX51D    | 2         | Z275                         | Angle          |                                                                            |
| KRD 2                          |          |           |                              |                |                                                                            |
| KRD 3                          |          |           |                              |                |                                                                            |
| KRD 4                          |          |           |                              |                |                                                                            |
| KMP 1                          | DX51D    | 1.5       | Z275                         | Angle          | Used to connect two piece of timber                                        |
| KMP 2                          |          |           |                              |                |                                                                            |
| KMP 3                          |          |           |                              |                |                                                                            |
| KMP 4                          |          |           |                              |                |                                                                            |
| KMP 5                          |          |           |                              |                |                                                                            |
| KMP 6                          |          |           |                              |                |                                                                            |
| KMP 7                          |          |           |                              |                |                                                                            |
| KMP 8                          |          |           |                              |                |                                                                            |
| KMP 9                          |          |           |                              |                |                                                                            |
| KMR 1                          | DX51D    | 2         | Z275                         | Angle          | Used to connect two piece of timber or timber – concrete or timber – steel |
| KMR 2                          |          |           |                              |                |                                                                            |
| KMR 3                          |          |           |                              |                |                                                                            |
| KMR 4                          |          |           |                              |                |                                                                            |
| KMR 5                          |          |           |                              |                |                                                                            |
| KMR 6                          |          |           |                              |                |                                                                            |
| KMR 7                          |          |           |                              |                |                                                                            |
| KMR 8                          |          |           |                              |                |                                                                            |
| KMR 9                          |          |           |                              |                |                                                                            |
| KMRP 1                         | DX51D    | 2         | Z275                         | Angle          |                                                                            |
| KMRP 2                         |          |           |                              |                |                                                                            |
| KMRP 3                         |          |           |                              |                |                                                                            |
| LZ 0                           | DX51D    | 2.5       | Z275                         | Angle          |                                                                            |
| LZ 1                           |          |           |                              |                |                                                                            |
| LZ 2                           |          |           |                              |                |                                                                            |
| LZ 3                           |          |           |                              |                |                                                                            |
| KS 1                           | DC01     | 1.5       | Fe/Zn 12                     | Angle          | Used to connect two piece of timber                                        |
| KS 2                           |          |           |                              |                |                                                                            |
| KS 3                           |          |           |                              |                |                                                                            |
| KSO 1                          | DX51D    | 1.5       | Z275                         | Angle          |                                                                            |
| KSO 2                          |          |           |                              |                |                                                                            |
| KSO 3                          |          |           |                              |                |                                                                            |
| KWO 1                          | DX51D    | 1.5       | Z275                         | Angle          |                                                                            |
| KWO 2                          |          |           |                              |                |                                                                            |

| Designation of Domax connector | Material | Thickness | Kind of corrosion protection | Type connector | Intended use                        |          |       |                                                                            |
|--------------------------------|----------|-----------|------------------------------|----------------|-------------------------------------|----------|-------|----------------------------------------------------------------------------|
| KWO 3                          | S235     | 2         | Fe/Zn 12                     | Angle          |                                     |          |       |                                                                            |
| KWO 4                          |          |           |                              |                |                                     |          |       |                                                                            |
| KB 1                           |          | 3         |                              |                |                                     |          |       |                                                                            |
| KB 2                           |          | 4         |                              |                |                                     |          |       |                                                                            |
| KB 3                           |          | 5         |                              |                |                                     |          |       |                                                                            |
| KP 1                           | DX51D    | 2.5       | Z275                         | Angle          |                                     |          |       |                                                                            |
| KP 2                           |          |           |                              |                |                                     |          |       |                                                                            |
| KP 3                           |          |           |                              |                |                                     |          |       |                                                                            |
| KP 4                           |          |           |                              |                |                                     |          |       |                                                                            |
| KP 5                           |          |           |                              |                |                                     |          |       |                                                                            |
| KP 6                           |          |           |                              |                |                                     |          |       |                                                                            |
| KP 11                          |          |           |                              |                |                                     |          |       |                                                                            |
| KP 21                          |          |           |                              |                |                                     |          |       |                                                                            |
| KPL 1                          | DX51D    | 2         |                              |                |                                     |          |       |                                                                            |
| KPL 2                          |          |           |                              |                |                                     |          |       |                                                                            |
| KPL 3                          |          |           |                              |                |                                     |          |       |                                                                            |
| KPL 4                          |          |           |                              |                |                                     |          |       |                                                                            |
| KL 1                           | DX51D    | 2.5       |                              |                |                                     | Z275     | Angle | Used to connect two piece of timber or timber – concrete or timber – steel |
| KL 2                           |          |           |                              |                |                                     |          |       |                                                                            |
| KL 3                           |          |           |                              |                |                                     |          |       |                                                                            |
| KL 4                           |          |           |                              |                |                                     |          |       |                                                                            |
| KL 5                           |          |           |                              |                |                                     |          |       |                                                                            |
| KW 1                           | DC01     | 1.5       | Fe/Zn 12                     | Angle          |                                     |          |       |                                                                            |
| KW 2                           |          | 2         |                              |                |                                     |          |       |                                                                            |
| KW 3                           |          |           |                              |                |                                     |          |       |                                                                            |
| KW 4                           |          | 4         |                              |                |                                     |          |       |                                                                            |
| KW 5                           | S235     |           |                              |                |                                     |          |       |                                                                            |
| KW 6                           |          |           |                              |                |                                     |          |       |                                                                            |
| KW 7                           | 5        |           |                              |                |                                     |          |       |                                                                            |
| KW 25                          | DC01     | 1.5       |                              |                |                                     | Fe/Zn 12 | Angle |                                                                            |
| KW 30                          |          |           |                              |                |                                     |          |       |                                                                            |
| KW 40                          |          |           |                              |                |                                     |          |       |                                                                            |
| KW 50                          |          |           |                              |                |                                     |          |       |                                                                            |
| KW 60                          |          |           |                              |                |                                     |          |       |                                                                            |
| KW 80                          |          | 2         |                              |                |                                     |          |       |                                                                            |
| KW 100                         |          |           |                              |                |                                     |          |       |                                                                            |
| KW 125                         |          |           |                              |                |                                     |          |       |                                                                            |
| KW 150                         |          |           |                              |                |                                     |          |       |                                                                            |
| KK 1                           | DX51D    | 2         | Z275                         | Angle          | Used to connect two piece of timber |          |       |                                                                            |
| KK 2                           |          |           |                              |                |                                     |          |       |                                                                            |
| KK 3                           |          |           |                              |                |                                     |          |       |                                                                            |
| KK 21                          | DX51D    | 2         | Z275                         | Angle          | Used to connect two piece of timber |          |       |                                                                            |
| KK 22                          |          |           |                              |                |                                     |          |       |                                                                            |

| Designation of Domax connector | Material | Thickness | Kind of corrosion protection                     | Type connector | Intended use                                                                           |
|--------------------------------|----------|-----------|--------------------------------------------------|----------------|----------------------------------------------------------------------------------------|
| KK 23                          |          |           |                                                  |                | or timber –<br>concrete or timber<br>– steel                                           |
| KM 1                           | DX51D    | 2         | Z275                                             | Angle          |                                                                                        |
| KM 2                           |          |           |                                                  |                |                                                                                        |
| KM 3                           |          |           |                                                  |                |                                                                                        |
| KM 4                           |          |           |                                                  |                |                                                                                        |
| KM 5                           |          |           |                                                  |                |                                                                                        |
| KM 6                           |          |           |                                                  |                |                                                                                        |
| KM 7                           |          |           |                                                  |                |                                                                                        |
| KM 8                           |          |           |                                                  |                |                                                                                        |
| KM 9                           |          |           |                                                  |                |                                                                                        |
| KM 10                          |          |           |                                                  |                |                                                                                        |
| KM 11                          |          |           |                                                  |                |                                                                                        |
| KM 12                          |          |           |                                                  |                |                                                                                        |
| KM 13                          |          |           |                                                  |                |                                                                                        |
| KM 14                          |          |           |                                                  |                |                                                                                        |
| KM 15                          |          |           |                                                  |                |                                                                                        |
| KM 19                          |          |           |                                                  |                |                                                                                        |
| KM 20                          |          |           |                                                  |                |                                                                                        |
| KM 1 (2.5 mm)                  | DX51D    | 2.5       | Z275                                             | Angle          | Used to connect<br>two piece of timber                                                 |
| KM 2 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 4 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 5 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 6 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 7 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 8 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 9 (2.5 mm)                  |          |           |                                                  |                |                                                                                        |
| KM 10 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 11 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 12 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 13 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 14 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 15 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 16 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 17 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 18 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 19 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| KM 20 (2.5 mm)                 |          |           |                                                  |                |                                                                                        |
| LBZ 95                         | S235     | 4         | Fe/Zn 12 or<br>Hot-dip<br>galvanization<br>(HDG) | Angle          | Used to connect<br>two piece of timber<br>or timber –<br>concrete or timber<br>– steel |
| LBZ 135                        |          |           |                                                  |                |                                                                                        |
| LBZ 285                        |          |           |                                                  |                |                                                                                        |

Yield strength for used steel DX51D is 307 MPa, tensile strength is 371 MPa (thickness 1.0 mm).  
Yield strength for used steel DX51D is 308 MPa, tensile strength is 364 MPa (thickness 1.5 mm).  
Yield strength for used steel DX51D is 367 MPa, tensile strength is 426 MPa (thickness 2.0 mm).  
Yield strength for used steel DX51D is 301 MPa, tensile strength is 369 MPa (thickness 2.5 mm).

Yield strength for used steel DC01 is 199 MPa, tensile strength is 317 MPa (thickness 1.5 mm).  
Yield strength for used steel DC01 is 200 MPa, tensile strength is 332 MPa (thickness 2.0 mm).

Yield strength for used steel S235JR is 312 MPa, tensile strength is 401 MPa (thickness 3.0 mm).  
Yield strength for used steel S235JR is 307 MPa, tensile strength is 387 MPa (thickness 4.0 mm).  
Yield strength for used steel S235JR is 304 MPa, tensile strength is 410 MPa (thickness 5.0 mm).

## **1.1 Identification**

The identification parameters and reference to product specifications for identifying the materials and components which constitute the three-dimensional nailing plates are given in Annexes.

## **2 Specification of the intended use(s) in accordance with the applicable European Assessment Document (hereinafter EAD)**

The three-dimensional nailing plates are intended to be used as connections in loadbearing timber structures (to connect two pieces of timber or timber to concrete or steel). For connecting the mutually perpendicular, load-bearing, solid timber elements, end-grain to side-grain, in joints for which requirements for mechanical resistance and stability in the sense of the Basic Works Requirement 1 of Regulation (EU) No 305/2011 shall be fulfilled.

For connections made with the three-dimensional nailing plates shall be used the elements described in Annex 1.

The materials' specification or minimum corrosion protection for different service classes are stated in accordance with EN 1995-1-1 (Eurocode 5). Alternative materials may be used provided that they have sufficient corrosion protection for the proposed intended use shown by assessment or testing taking into account the connection points between the nailing plate and the fastener and that they do not change performance of the nailing plate.

The provisions made in this European Technical Assessment are based on an assumed working life of the product of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

The assessment of the fitness of the three-dimensional nailing plates for the intended use has been made in compliance with the European Assessment Document (EAD) 130186-00-0603 Three-dimensional nailing plates.

### **2.1 Installation of three-dimensional nailing plates**

The installation instructions including special installation techniques and provisions for the qualification of the personnel are given in the manufacturer's technical documentation.

### 3 Performance of the product and references to the methods used for its assessment

The assessment of the fitness for use of the above-mentioned three-dimensional nailing plates according to the Basic Work Requirements (BWR) were carried out in compliance with EAD 130186-00-0603.

The European Technical Assessment is issued for the three-dimensional nailing plates on the basis of agreed data and information, deposited at Technický a zkušební ústav stavební Praha, s.p., which identifies three-dimensional nailing plates that has been assessed and judged. Changes to the plates or production process which could result in this deposited data and information being incorrect should be notified to Technický a zkušební ústav stavební Praha, s.p. before the changes are introduced. Technický a zkušební ústav stavební Praha, s.p. will decide whether or not such changes affect the ETA and consequently the validity of the CE marking on the basis of the ETA and if so whether further assessment or alternations to the ETA shall be necessary.

**Table 2** Essential characteristics of the product

|                                                | Essential characteristic                  | Performance                                                                                                                                                                                                                   |
|------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3.1 BWR 1: Mechanical resistance and stability |                                           |                                                                                                                                                                                                                               |
| 3.1.1                                          | Joint strength                            | See Annex 3                                                                                                                                                                                                                   |
| 3.1.2                                          | Joint stiffness                           | NPA                                                                                                                                                                                                                           |
| 3.1.3                                          | Joint ductility                           | NPA                                                                                                                                                                                                                           |
| 3.1.4                                          | Resistance to seismic actions             | NPA                                                                                                                                                                                                                           |
| 3.1.5                                          | Resistance to corrosion and deterioration | NPA                                                                                                                                                                                                                           |
| 3.2 BWR 2: Safety in case of fire              |                                           |                                                                                                                                                                                                                               |
| 3.2.1                                          | Reaction to fire                          | The steel elements are classified as class A1 of reaction to fire (non-combustible products) in accordance with EN 13501-1 and to European Commission Decision 96/603/EC amended by European Commission Decision 2000/605/EC. |
| 3.2.2                                          | Resistance to fire                        | NPA                                                                                                                                                                                                                           |

#### 3.1 Mechanical resistance and stability (BWR 1)

##### 3.1.1 Joint strength

The load-carrying capacities of joints loaded according to static diagrams (shown in Annex 2), determined by testing or calculations carried out according to EAD 130186-00-0603, clause 2.2.1 and EN 1995-1-1 are given in Annex 3. The load-carrying capacities of joints for other load directions shall be calculated on the basis of EN 1995-1-1 (Eurocode 5) or according to national regulations. The design values shall be determined according to EN 1995-1-1 (Eurocode 5).

Following the requirements of EAD, the applicant provided to the TAB calculation and testing results, configuration of the connections and static schemes (direction of force actions).

##### 3.1.2 Joint stiffness

No performance assessed.

##### 3.1.3 Joint ductility

No performance assessed.

## **3.2 Safety in case of fire (BWR 2)**

### **3.2.1 Reaction to fire**

The steel elements are classified as class A1 of reaction to fire (non-combustible products) in accordance with EN 13501-1 and to European Commission Decision 96/603/EC amended by European Commission Decision 2000/605/EC.

### **3.2.2 Resistance to fire**

Performance in relation to fire resistance would be determined for the complete structural element with any associated finishes, therefore there is no performance assessed option used to this Basic Work Requirement.

#### 4 **Assessment and verification of constancy of performance (hereinafter AVCP) system applied, with reference to its legal base**

According to the Decision 1997/638/EC<sup>1</sup>, of the European Commission the system(s) of assessment and verification of constancy of performance (see Annex V to Regulation (EU) No 305/2011 and Commission delegated Regulation (EU) No 568/2014) given in the following table applies:

| Product(s)                                                                         | Intended use(s)                | Level(s) or class(es) | Attestation of conformity system(s) |
|------------------------------------------------------------------------------------|--------------------------------|-----------------------|-------------------------------------|
| <b>Shear plates, toothed-plate connectors, punched nail plates, nailing plates</b> | For structural timber products |                       | 2+                                  |

---

<sup>1</sup> Official Journal of the European Communities L 268/37 of 1.10.1997

## **5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD**

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at Technický a zkušební ústav stavební Praha, s.p.

Issued in Prague on 31/10/2022

By  
Jiří Studnička, Ph.D.  
Head of the TAB

### Annexes:

|         |                                            |
|---------|--------------------------------------------|
| Annex 1 | Product details and definitions            |
| Annex 2 | Loading according to static diagrams       |
| Annex 3 | The load-carrying capacities of connectors |
| Annex 4 | Nailing patterns                           |
| Annex 5 | Specification of connection elements       |
| Annex 6 | Reference documents                        |





Figure 1 Type WB

Table 3 WB three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     | Template | Quantity of openings |      |
|--------|----------------|-----|----------|----------------------|------|
|        | W              | H   |          | Ø 5                  | Ø 11 |
| WB1    | 25             | 118 | A        | 22                   | 2    |
| WB2    | 38             | 111 | A        | 22                   | 2    |
| WB3    | 38             | 141 | B        | 28                   | 4    |
| WB4    | 38             | 171 | C        | 34                   | 4    |
| WB5    | 41             | 110 | A        | 22                   | 2    |
| WB6    | 41             | 140 | B        | 28                   | 4    |
| WB7    | 41             | 170 | C        | 34                   | 4    |
| WB8    | 45             | 108 | A        | 22                   | 2    |
| WB9    | 45             | 138 | B        | 28                   | 4    |
| WB10   | 51             | 105 | A        | 22                   | 2    |
| WB11   | 51             | 135 | B        | 28                   | 4    |
| WB12   | 51             | 165 | C        | 34                   | 4    |
| WB13   | 51             | 195 | D        | 40                   | 6    |
| WB14   | 60             | 100 | A        | 22                   | 2    |
| WB15   | 60             | 130 | B        | 28                   | 4    |
| WB16   | 60             | 160 | C        | 34                   | 4    |
| WB17   | 60             | 190 | D        | 40                   | 6    |
| WB18   | 60             | 220 | E        | 46                   | 6    |
| WB19   | 64             | 98  | A        | 22                   | 2    |



**Figure 2** Type WB

**Table 4** WB three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     | Template | Quantity of openings |      |
|--------|----------------|-----|----------|----------------------|------|
|        | W              | H   |          | Ø 5                  | Ø 11 |
| WB20   | 64             | 128 | B        | 28                   | 4    |
| WB21   | 70             | 125 | B        | 28                   | 4    |
| WB22   | 70             | 155 | C        | 34                   | 4    |
| WB23   | 76             | 122 | B        | 28                   | 4    |
| WB24   | 76             | 152 | C        | 34                   | 4    |
| WB25   | 76             | 182 | D        | 40                   | 6    |
| WB26   | 80             | 120 | B        | 28                   | 4    |
| WB27   | 80             | 150 | C        | 34                   | 4    |
| WB28   | 80             | 180 | D        | 40                   | 6    |
| WB29   | 80             | 210 | E        | 46                   | 6    |
| WB30   | 100            | 140 | C        | 34                   | 4    |
| WB31   | 100            | 170 | D        | 40                   | 6    |
| WB32   | 100            | 200 | E        | 46                   | 6    |
| WB33   | 115            | 163 | D        | 40                   | 6    |
| WB34   | 115            | 193 | E        | 46                   | 6    |
| WB35   | 120            | 160 | D        | 40                   | 6    |
| WB36   | 120            | 190 | E        | 46                   | 6    |
| WB37   | 140            | 180 | E        | 46                   | 6    |
| WB38   | 160            | 170 | E        | 46                   | 6    |



**Figure 3** Type WBZ

**Table 5** WBZ three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     | Template | Quantity of openings |      |
|--------|----------------|-----|----------|----------------------|------|
|        | W              | H   |          | Ø 5                  | Ø 11 |
| WBZ21  | 70             | 125 | B        | 28                   | 4    |
| WBZ22  | 70             | 155 | C        | 34                   | 4    |
| WBZ23  | 76             | 122 | B        | 28                   | 4    |
| WBZ24  | 76             | 152 | C        | 34                   | 4    |
| WBZ25  | 76             | 182 | D        | 40                   | 6    |
| WBZ26  | 80             | 120 | B        | 28                   | 4    |
| WBZ27  | 80             | 150 | C        | 34                   | 4    |
| WBZ28  | 80             | 180 | D        | 40                   | 6    |
| WBZ29  | 80             | 210 | E        | 46                   | 6    |
| WBZ30  | 100            | 140 | C        | 34                   | 4    |
| WBZ31  | 100            | 170 | D        | 40                   | 6    |
| WBZ32  | 100            | 200 | E        | 46                   | 6    |
| WBZ33  | 115            | 163 | D        | 40                   | 6    |
| WBZ34  | 115            | 193 | E        | 46                   | 6    |
| WBZ35  | 120            | 160 | D        | 40                   | 6    |
| WBZ36  | 120            | 190 | E        | 46                   | 6    |
| WBZ37  | 140            | 180 | E        | 46                   | 6    |



**Figure 4** Type WBD

**Table 6** WBD three-dimensional nailing plate symbols and dimensions


| Symbol             | Dimensions, mm |    |   | Type | Quantity of openings |      |
|--------------------|----------------|----|---|------|----------------------|------|
|                    | H              | B  | D |      | Ø 5                  | Ø 11 |
| WBD105L<br>WBD105P | 105            | 25 | 2 | A1   | 13                   | 1    |
| WBD130L<br>WBD130P | 130            | 28 | 2 | 81   | 16                   | 2    |
| WBD140L<br>WBD140P | 140            | 50 | 2 | C1   | 19                   | 2    |
| WBD170L<br>WBD170P | 170            | 50 | 2 | D1   | 22                   | 3    |
| WBD200L<br>WBD200P | 200            | 50 | 2 | E1   | 25                   | 3    |



**Figure 5** Type WL

**Table 7** WL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |   | Quantity of openings |      |
|--------|----------------|----|---|----------------------|------|
|        | W              | H  | D | Ø 5                  | Ø 11 |
| WL 5   | 25             | 77 | 1 | 12                   | 2    |
| WL 6   | 38             | 71 | 1 | 12                   | 2    |
| WL 7   | 41             | 70 | 1 | 12                   | 2    |
| WL 8   | 51             | 65 | 1 | 12                   | 2    |
| WL 9   | 60             | 60 | 1 | 12                   | 2    |



**Figure 6** Type KG

**Table 8** KG three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |
|--------|----------------|----|----|-----|----------------------|
|        | W              | A  | B  | D   | Ø 3                  |
| KG     | 120            | 40 | 40 | 1.5 | 14                   |



**Figure 7** Type KRD

**Table 9** KRD three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |   | Quantity of openings |
|--------|----------------|----|----|---|----------------------|
|        | W              | H  | B  | D | Ø 5                  |
| KRD 1  | 30             | 50 | 55 | 2 | 8                    |
| KRD 2  | 30             | 70 | 55 | 2 | 9                    |



**Figure 8** Type KRD

**Table 10** KRD three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |
|--------|----------------|-----|----|---|----------------------|
|        | W              | H   | B  | D | Ø 5                  |
| KRD 3  | 30             | 80  | 55 | 2 | 10                   |
| KRD 4  | 30             | 120 | 55 | 2 | 10                   |



**Figure 9** Type LZ

**Table 11** LZ three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |      |     | Quantity of openings |      |
|--------|----------------|----|------|-----|----------------------|------|
|        | W              | H  | A    | D   | Ø 5                  | Ø 11 |
| LZ 0   | 55             | 21 | 82.5 | 2.5 | 9                    | 1    |



**Figure 10** Type LZ

**Table 12** LZ three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |       |     | Quantity of openings |      |
|--------|----------------|----|-------|-----|----------------------|------|
|        | W              | H  | A     | D   | Ø 5                  | Ø 11 |
| LZ 1   | 55             | 41 | 117.5 | 2.5 | 14                   | 3    |
| LZ 2   | 55             | 51 | 117.5 | 2.5 | 14                   | 3    |
| LZ 3   | 55             | 61 | 117.5 | 2.5 | 14                   | 3    |



**Figure 11** Type KB

**Table 13** KB three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |     |
|--------|----------------|-----|----|---|----------------------|-----|
|        | W              | H   | B  | D | Ø 4.5                | Ø 7 |
| KB 1   | 30             | 98  | 73 | 3 | 5                    | -   |
| KB 2   | 35             | 116 | 76 | 4 | -                    | 7   |



**Figure 12** Type KB

**Table 14** KB three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |     |
|--------|----------------|-----|-----|---|----------------------|-----|
|        | W              | H   | B   | D | Ø 4.5                | Ø 7 |
| KB 3   | 40             | 176 | 116 | 5 | -                    | 8   |



**Figure 13** Type KK

**Table 15** KK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |
|--------|----------------|-----|----|---|----------------------|
|        | W              | H   | B  | D |                      |
| KK 1   | 40             | 200 | 40 | 2 | 24                   |
| KK 2   | 40             | 300 | 40 | 2 | 34                   |



**Figure 14** Type KK

**Table 16** KK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |
|--------|----------------|-----|----|---|----------------------|
|        | W              | H   | B  | D |                      |
| KK 3   | 40             | 400 | 40 | 2 | 44                   |



**Figure 15** Type KK

**Table 17** KK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |      |
|--------|----------------|-----|----|---|----------------------|------|
|        | W              | H   | B  | D | Ø 5                  | Ø 12 |
| KK 21  | 40             | 200 | 40 | 2 | 19                   | 1    |
| KK 22  | 40             | 300 | 40 | 2 | 29                   | 1    |



**Figure 16** Type KK

**Table 18** KK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |   | Quantity of openings |                  |
|--------|----------------|-----|----|---|----------------------|------------------|
|        | W              | H   | B  | D | $\varnothing 5$      | $\varnothing 12$ |
| KK 23  | 40             | 400 | 40 | 2 | 39                   | 1                |



**Figure 17** Type KL

**Table 19** KL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |     |
|--------|----------------|----|----|-----|----------------------|-----|------|-----|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø14 |
| KL 1   | 35             | 50 | 50 | 2.5 | 8                    | -   | 2    | -   |



**Figure 18** Type KL

**Table 20** KL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |                 |                  |                  |
|--------|----------------|----|----|-----|----------------------|-----------------|------------------|------------------|
|        | W              | H  | B  | D   | $\varnothing 5$      | $\varnothing 7$ | $\varnothing 11$ | $\varnothing 14$ |
| KL 2   | 55             | 70 | 70 | 2.5 | 20                   | -               | 2                | -                |



**Figure 19** Type KL

**Table 21** KL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |    |     | Quantity of openings |     |      |     |
|--------|----------------|-----|----|-----|----------------------|-----|------|-----|
|        | W              | H   | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø14 |
| KL 3   | 35             | 150 | 50 | 2.5 | 16                   | -   | 4    | -   |



**Figure 20** Type KL

**Table 22** KL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |      |
|--------|----------------|----|----|-----|----------------------|-----|------|------|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KL 4   | 65             | 90 | 90 | 2.5 | 16                   | 12  | 2    | -    |



**Figure 21** Type KL

**Table 23** KL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |     | Quantity of openings |     |      |      |
|--------|----------------|-----|-----|-----|----------------------|-----|------|------|
|        | W              | H   | B   | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KL 5   | 90             | 105 | 105 | 2.5 | 36                   | -   | -    | 2    |



**Figure 22** Type KM

**Table 24** KM three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 5                  |
| KM 1          | 40             | 40 | 40 | 2   | 8                    |
| KM 1 (2.5 mm) | 40             | 40 | 40 | 2.5 | 8                    |
| KM 2          | 60             | 40 | 40 | 2   | 12                   |
| KM 2 (2.5 mm) | 60             | 40 | 40 | 2.5 | 12                   |



**Figure 23** Type KM

**Table 25** KM three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 5                  |
| KM 3          | 40             | 60 | 60 | 2   | 12                   |
| KM 4          | 60             | 60 | 60 | 2   | 18                   |
| KM 4 (2.5 mm) | 60             | 60 | 60 | 2.5 | 18                   |



**Figure 24** Type KM

**Table 26** KM three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   |                      |
| KM 5          | 80             | 60 | 60 | 2   | 24                   |
| KM 5 (2.5 mm) | 80             | 60 | 60 | 2.5 | 24                   |
| KM 6          | 100            | 60 | 60 | 2   | 30                   |
| KM 6 (2.5 mm) | 100            | 60 | 60 | 2.5 | 30                   |



**Figure 25** Type KM

**Table 27** KM three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 5                  |
| KM 7          | 40             | 80 | 80 | 2   | 16                   |
| KM 7 (2.5 mm) | 40             | 80 | 80 | 2.5 | 16                   |
| KM 8          | 60             | 80 | 80 | 2   | 24                   |



**Figure 26** Type KM

**Table 28** KM three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 5                  |
| KM 9          | 80             | 80 | 80 | 2   | 32                   |
| KM 9 (2.5 mm) | 80             | 80 | 80 | 2.5 | 32                   |
| KM 10         | 100            | 80 | 80 | 2   | 40                   |
| KM 10(2.5 mm) | 100            | 80 | 80 | 2.5 | 40                   |



**Figure 27** Type KM

**Table 29** KM three-dimensional nailing plate symbols and dimensions


| Symbol         | Dimensions, mm |     |     |     | Quantity of openings |
|----------------|----------------|-----|-----|-----|----------------------|
|                | W              | H   | B   | D   | Ø 5                  |
| KM 11          | 60             | 100 | 100 | 2   | 30                   |
| KM 11 (2.5 mm) | 60             | 100 | 100 | 2.5 | 30                   |
| KM 12          | 80             | 100 | 100 | 2   | 40                   |
| KM 12 (2.5 mm) | 80             | 100 | 100 | 2.5 | 40                   |



**Figure 28** Type KM

**Table 30** KM three-dimensional nailing plate symbols and dimensions


| Symbol         | Dimensions, mm |     |     |     | Quantity of openings |
|----------------|----------------|-----|-----|-----|----------------------|
|                | W              | H   | B   | D   | Ø 5                  |
| KM 13          | 100            | 100 | 100 | 2   | 50                   |
| KM 13 (2.5 mm) | 100            | 100 | 100 | 2.5 | 50                   |
| KM 14          | 100            | 40  | 40  | 2   | 20                   |
| KM 14 (2.5 mm) | 100            | 40  | 40  | 2.5 | 20                   |



**Figure 29** Type KM

**Table 31** KM three-dimensional nailing plate symbols and dimensions


| Symbol         | Dimensions, mm |    |    |     | Quantity of openings |
|----------------|----------------|----|----|-----|----------------------|
|                | W              | H  | B  | D   |                      |
| KM 15          | 200            | 40 | 40 | 2   | 40                   |
| KM 15 (2.5 mm) | 200            | 40 | 40 | 2.5 | 40                   |




**Figure 30** Type KM

**Table 32** KM three-dimensional nailing plate symbols and dimensions

| Symbol         | Dimensions, mm |    |    |     | Quantity of openings |
|----------------|----------------|----|----|-----|----------------------|
|                | W              | H  | B  | D   |                      |
| KM 16 (2.5 mm) | 40             | 90 | 90 | 2.5 | 16                   |




**Figure 31** Type KM




**Figure 32** Type KM

**Table 33** KM three-dimensional nailing plate symbols and dimensions

| Symbol         | Dimensions, mm |    |    |     | Quantity of openings |
|----------------|----------------|----|----|-----|----------------------|
|                | W              | H  | B  | D   |                      |
| KM 17 (2.5 mm) | 40             | 50 | 50 | 2.5 | 8                    |
| KM 18 (2.5 mm) | 50             | 60 | 60 | 2.5 | 12                   |




**Figure 33** Type KM



**Figure 34** Type KM

**Table 34** KM three-dimensional nailing plate symbols and dimensions


| Symbol         | Dimensions, mm |     |    |     | Quantity of openings |
|----------------|----------------|-----|----|-----|----------------------|
|                | W              | H   | B  | D   |                      |
| KM 19          | 40             | 120 | 90 | 2.0 | 18                   |
| KM 19 (2.5 mm) | 40             | 120 | 90 | 2.5 | 18                   |
| KM 20          | 25             | 60  | 60 | 2.0 | 6                    |
| KM 20 (2.5 mm) | 25             | 60  | 60 | 2.5 | 6                    |



**Figure 35** Type KMP

**Table 35** KMP three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |
|--------|----------------|----|----|-----|----------------------|
|        | W              | H  | B  | D   | Ø 5                  |
| KMP1   | 40             | 40 | 40 | 1.5 | 8                    |
| KMP2   | 60             | 40 | 40 | 1.5 | 12                   |
| KMP3   | 80             | 40 | 40 | 1.5 | 16                   |
| KMP4   | 40             | 60 | 60 | 1.5 | 12                   |
| KMP5   | 60             | 60 | 60 | 1.5 | 18                   |
| KMP6   | 80             | 60 | 60 | 1.5 | 24                   |
| KMP7   | 40             | 80 | 80 | 1.5 | 16                   |
| KMP8   | 60             | 80 | 80 | 1.5 | 24                   |
| KMP9   | 80             | 80 | 80 | 1.5 | 32                   |



**Figure 36** Type KMR

**Table 36** KMR three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |   | Quantity of openings |
|--------|----------------|----|----|---|----------------------|
|        | W              | H  | B  | D | Ø 5                  |
| KMR 1  | 60             | 80 | 60 | 2 | 9                    |
| KMR 2  | 60             | 80 | 60 | 2 | 9                    |



**Figure 37** Type KMR

**Table 37** KMR three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |   | Quantity of openings |
|--------|----------------|----|----|---|----------------------|
|        | W              | H  | B  | D | Ø 5                  |
| KMR 3  | 80             | 80 | 80 | 2 | 16                   |
| KMR 4  | 80             | 80 | 80 | 2 | 16                   |



**Figure 38** Type KMR

**Table 38** KMR three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |
|--------|----------------|-----|-----|---|----------------------|
|        | W              | H   | B   | D | Ø 5                  |
| KMR 5  | 100            | 100 | 100 | 2 | 25                   |
| KMR 6  | 100            | 100 | 100 | 2 | 25                   |



**Figure 39** Type KMR

**Table 39** KMR three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |   | Quantity of openings |
|--------|----------------|----|----|---|----------------------|
|        | W              | H  | B  | D | Ø 5                  |
| KMR 7  | 60             | 60 | 60 | 2 | 6                    |
| KMR 8  | 80             | 80 | 80 | 2 | 12                   |



**Figure 40** Type KMR

**Table 40** KMR three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |
|--------|----------------|-----|-----|---|----------------------|
|        | W              | H   | B   | D | $\varnothing 5$      |
| KMR 9  | 100            | 100 | 100 | 2 | 20                   |



**Figure 41** Type KMRP

**Table 41** KMRP three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |   | Quantity of openings |
|--------|----------------|----|----|---|----------------------|
|        | W              | H  | B  | D | Ø 5                  |
| KMRP 1 | 60             | 60 | 60 | 2 | 6                    |
| KMRP 2 | 80             | 80 | 80 | 2 | 12                   |



**Figure 42** Type KMRP

**Table 42** KMRP three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |
|--------|----------------|-----|-----|---|----------------------|
|        | W              | H   | B   | D | $\varnothing 5$      |
| KMRP 3 | 100            | 100 | 100 | 2 | 20                   |



**Figure 43** Type KP, KPL

**Table 43** KP, KPL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |      |
|--------|----------------|----|----|-----|----------------------|-----|------|------|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 1   | 65             | 90 | 90 | 2.5 | 16                   | 12  | 2    | -    |
| KPL 1  | 65             | 90 | 90 | 2.0 | 16                   | 12  | 2    | -    |



**Figure 44** Type KP, KPL

**Table 44** KP, KPL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |     | Quantity of openings |     |      |      |
|--------|----------------|-----|-----|-----|----------------------|-----|------|------|
|        | W              | H   | B   | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 2   | 90             | 105 | 105 | 2.5 | 36                   | -   | -    | 2    |
| KPL 2  | 90             | 105 | 105 | 2.0 | 36                   | -   | -    | 2    |



**Figure 45** Type KP, KPL

**Table 45** KP, KPL three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |      |
|--------|----------------|----|----|-----|----------------------|-----|------|------|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 3   | 55             | 90 | 50 | 2.5 | 20                   | -   | 2    | -    |
| KPL 3  | 55             | 90 | 50 | 2.0 | 20                   | -   | 2    | -    |



**Figure 46** Type KP, KPL

**Table 46** KP, KPL three-dimensional nailing plate symbols and dimensions

| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |      |
|--------|----------------|----|----|-----|----------------------|-----|------|------|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 4   | 55             | 70 | 70 | 2.5 | 20                   | -   | 2    | -    |
| KPL 4  | 55             | 70 | 70 | 2.0 | 20                   | -   | 2    | -    |




**Figure 47** Type KP

**Table 47** KP three-dimensional nailing plate symbols and dimensions

| Symbol | Dimensions, mm |    |    |     | Quantity of openings |     |      |      |
|--------|----------------|----|----|-----|----------------------|-----|------|------|
|        | W              | H  | B  | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 11  | 65             | 90 | 90 | 2.5 | 13                   | 9   | 5    | -    |






**Figure 49** Type KP

**Table 49** KP three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |     | Quantity of openings |     |      |      |
|--------|----------------|-----|-----|-----|----------------------|-----|------|------|
|        | W              | H   | B   | D   | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 5   | 65             | 140 | 140 | 2.5 | 26                   | 2   | -    | -    |



**Figure 50 Type KP**

**Table 50** KP three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |     |      |      |
|--------|----------------|-----|-----|---|----------------------|-----|------|------|
|        | W              | H   | B   | D | Ø 5                  | Ø 7 | Ø 11 | Ø 14 |
| KP 6   | 90             | 172 | 105 | 3 | 44                   | 7   | -    | 2    |



**Figure 51** Type KS, KSO

**Table 51** KS, KSO three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 4.5                |
| KS 1<br>KSO 1 | 30             | 30 | 30 | 1.5 | 4                    |
| KS 2<br>KSO 2 | 40             | 40 | 40 | 1.5 | 4                    |
| KS 3<br>KSO 3 | 60             | 60 | 60 | 2   | 8                    |



**Figure 52** Type KW, KWO

**Table 52** KW, KWO three-dimensional nailing plate symbols and dimensions


| Symbol        | Dimensions, mm |    |    |     | Quantity of openings |
|---------------|----------------|----|----|-----|----------------------|
|               | W              | H  | B  | D   | Ø 4.5                |
| KW 1<br>KWO 1 | 17             | 25 | 25 | 1.5 | 4                    |
| KW 2<br>KWO 2 | 17             | 40 | 40 | 1.5 | 4                    |
| KW 3<br>KWO 3 | 17             | 50 | 50 | 2   | 4                    |
| KW 4<br>KWO 4 | 17             | 75 | 75 | 2   | 4                    |



**Figure 53** Type KW

**Table 53** KW three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |
|--------|----------------|-----|-----|---|----------------------|
|        | W              | H   | B   | D | Ø 6                  |
| KW 5   | 20             | 96  | 96  | 4 | 4                    |
| KW 6   | 20             | 121 | 121 | 4 | 4                    |




**Figure 54** Type KW

**Table 54** KW three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings |
|--------|----------------|-----|-----|---|----------------------|
|        | W              | H   | B   | D | Ø 6                  |
| KW 7   | 25             | 146 | 146 | 5 | 4                    |




**Figure 55 Type KW**




**Figure 56 Type KW**



**Figure 57 Type KW**




**Figure 58 Type KW**




**Figure 59** Type KW

**Table 55** KW three-dimensional nailing plate symbols and dimensions

| Symbol | Dimensions, mm |     |     |     | Quantity of openings |
|--------|----------------|-----|-----|-----|----------------------|
|        | W              | H   | B   | D   | Ø 4.5                |
| KW 25  | 14             | 25  | 25  | 1.5 | 4                    |
| KW 30  | 14             | 30  | 30  | 1.5 | 4                    |
| KW 40  | 15             | 40  | 40  | 1.5 | 4                    |
| KW 50  | 15             | 50  | 50  | 1.5 | 4                    |
| KW 60  | 15             | 60  | 60  | 1.5 | 4                    |
| KW 80  | 19             | 80  | 80  | 2   | 6                    |
| KW 100 | 19             | 100 | 100 | 2   | 6                    |
| KW 125 | 22             | 125 | 125 | 2   | 6                    |
| KW 150 | 22             | 150 | 150 | 2   | 6                    |




**Figure 60 Type LBZ**



**Figure 61 Type LBZ**






**Figure 63** Type LK

**Table 57** LK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings | Type  |
|--------|----------------|-----|-----|---|----------------------|-------|
|        | W              | H   | B   | D | $\varnothing 5$      |       |
| LK 1   | 32             | 170 | 114 | 2 | 20                   | left  |
| LK 2   | 32             | 170 | 114 | 2 | 20                   | right |



**Figure 64** Type LK

**Table 58** LK three-dimensional nailing plate symbols and dimensions


| Symbol | Dimensions, mm |     |     |   | Quantity of openings | Type  |
|--------|----------------|-----|-----|---|----------------------|-------|
|        | W              | H   | B   | D | Ø 5                  |       |
| LK 3   | 32             | 210 | 154 | 2 | 28                   | left  |
| LK 4   | 32             | 210 | 154 | 2 | 28                   | right |



**Figure 65** Type LK

**Table 59** LK three-dimensional nailing plate symbols and dimensions

| Symbol | Dimensions, mm |     |     |   | Quantity of openings | Type  |
|--------|----------------|-----|-----|---|----------------------|-------|
|        | W              | H   | B   | D | Ø 5                  |       |
| LK 5   | 32             | 250 | 194 | 2 | 36                   | left  |
| LK 6   | 32             | 250 | 194 | 2 | 36                   | right |




**Figure 66** Type LK

**Table 60** LK three-dimensional nailing plate symbols and dimensions

| Symbol | Dimensions, mm |     |     |   | Quantity of openings<br>Ø 5 | Type  |
|--------|----------------|-----|-----|---|-----------------------------|-------|
|        | W              | H   | B   | D |                             |       |
| LK 7   | 32             | 290 | 234 | 2 | 44                          | left  |
| LK 8   | 32             | 290 | 234 | 2 | 44                          | right |

## Specification of dowel type fasteners




ANG 50

**Figure 67** Type ANG 50

**Table 61** ANG 50 dimensions


| Symbol     | Dimensions [mm] |    |      |     | Standard    | DoP No.                                   |
|------------|-----------------|----|------|-----|-------------|-------------------------------------------|
|            | D               | H  | L    | W   |             |                                           |
| ANG 4x50   | 4               | 50 | 36.8 | 8   | EN 14592+A1 | DWU 30-20232 AN<br>(issued on 02/01/2018) |
| ANG 3.1x50 | 3.1             | 50 | 35   | 6.5 | EN 14592+A1 | DoP02<br>(issued on 28.05.2019)           |



**Figure 68** Bolt type M12x35

**Table 62** M bolt dimensions

| Symbol | Dimensions [mm] |    |    |    |     | Standard   | DoP No.                                    |
|--------|-----------------|----|----|----|-----|------------|--------------------------------------------|
|        | D               | H  | L  | W  | T   |            |                                            |
| M12x35 | 12              | 35 | 30 | 18 | 7.5 | EN 15048-1 | NKJ/CPR/20170201<br>(issued on 01.02.2017) |




**Figure 69** Washer type M12

**Table 63** Washer M12 dimensions


| Symbol | Dimensions [mm] |                |     | Standard   | DoP No.                                             |
|--------|-----------------|----------------|-----|------------|-----------------------------------------------------|
|        | d <sub>1</sub>  | d <sub>2</sub> | s   |            |                                                     |
| M12    | 13              | 24             | 2.5 | EN 15048-1 | NKJ/CPR/2015-09-01 rev.02<br>(issued on 15/01/2016) |

|                                      |                        |
|--------------------------------------|------------------------|
| THREE-DIMENSIONAL NAILING PLATES     | ANNEX 2<br>ETA 22/0631 |
| LOADING ACCORDING TO STATIC DIAGRAMS |                        |

| No. | Scheme                                                                              | Connector types |               |
|-----|-------------------------------------------------------------------------------------|-----------------|---------------|
| 1   |  | KG              | KW 1          |
|     |                                                                                     | KRD 1           | KW 2          |
|     |                                                                                     | KRD 2           | KW 3          |
|     |                                                                                     | KRD 3           | KW 4          |
|     |                                                                                     | KRD 4           | KW 5          |
|     |                                                                                     | KMP 1           | KW 6          |
|     |                                                                                     | KMP 2           | KW 7          |
|     |                                                                                     | KMP 3           | KW 25         |
|     |                                                                                     | KMP 4           | KW 30         |
|     |                                                                                     | KMP 5           | KW 40         |
|     |                                                                                     | KMP 6           | KW 50         |
|     |                                                                                     | KMP 7           | KW 60         |
|     |                                                                                     | KMP 8           | KW 80         |
|     |                                                                                     | KMP 9           | KW 100        |
|     |                                                                                     | KMR 1           | KW 125        |
|     |                                                                                     | KMR 2           | KW 150        |
|     |                                                                                     | KMR 3           | KK 1          |
|     |                                                                                     | KMR 4           | KK 2          |
|     |                                                                                     | KMR 5           | KK 3          |
|     |                                                                                     | KMR 6           | KM 1          |
|     |                                                                                     | KMR 7           | KM 2          |
|     |                                                                                     | KMR 8           | KM 3          |
|     |                                                                                     | KMR 9           | KM 4          |
|     |                                                                                     | KMRP 1          | KM 5          |
|     |                                                                                     | KMRP 2          | KM 6          |
|     |                                                                                     | KMRP 3          | KM 7          |
|     |                                                                                     | LZ 1            | KM 8          |
|     |                                                                                     | LZ 2            | KM 9          |
|     |                                                                                     | LZ 3            | KM 10         |
|     |                                                                                     | KS 1            | KM 11         |
|     |                                                                                     | KS 2            | KM 12         |
|     |                                                                                     | KS 3            | KM 13         |
|     |                                                                                     | KSO 1           | KM 14         |
|     |                                                                                     | KSO 2           | KM 15         |
|     |                                                                                     | KSO 3           | KM 19         |
|     |                                                                                     | KWO 1           | KM 20         |
|     |                                                                                     | KWO 2           | KM 1 (2.5 mm) |
|     |                                                                                     | KWO 3           | KM 2 (2.5 mm) |
|     |                                                                                     | KWO 4           | KM 4 (2.5 mm) |
|     |                                                                                     | KB 1            | KM 5 (2.5 mm) |
|     |                                                                                     | KB 2            | KM 6 (2.5 mm) |
|     |                                                                                     | KB 3            | KM 7 (2.5 mm) |

| No. | Scheme | Connector types                                                                                                                                                                                                                                                                                                                                                                     |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |        | KP 1      KM 9 (2.5 mm)<br>KP 2      KM 10 (2.5 mm)<br>KP 3      KM 11 (2.5 mm)<br>KP 4      KM 12 (2.5 mm)<br>KP 5      KM 13 (2.5 mm)<br>KP 6      KM 14 (2.5 mm)<br>KP 11     KM 15 (2.5 mm)<br>KP 21     KM 16 (2.5 mm)<br>KPL 1     KM 17 (2.5 mm)<br>KPL 2     KM 18 (2.5 mm)<br>KPL 3     KM 19 (2.5 mm)<br>KPL 4     KM 20 (2.5 mm)<br>KL 1<br>KL 2<br>KL 3<br>KL 4<br>KL 5 |

**Figure 70** Scheme 1

| No. | Scheme                                                                               | Connector types                                             |
|-----|--------------------------------------------------------------------------------------|-------------------------------------------------------------|
| 2   |  | KK 21<br>KK 22<br>KK 23<br><br>LZB 95<br>LBZ 135<br>LBZ 285 |

**Figure 71** Scheme 2

|                                      |                        |
|--------------------------------------|------------------------|
| THREE-DIMENSIONAL NAILING PLATES     | ANNEX 2<br>ETA 22/0631 |
| LOADING ACCORDING TO STATIC DIAGRAMS |                        |




| No. | Scheme                                                                               | Connector type |          |
|-----|--------------------------------------------------------------------------------------|----------------|----------|
| 3   |  | WB 1           | WBZ 21   |
|     |                                                                                      | WB 2           | WBZ 22   |
|     |                                                                                      | WB 3           | WBZ 23   |
|     |                                                                                      | WB 4           | WBZ 24   |
|     |                                                                                      | WB 5           | WBZ 25   |
|     |                                                                                      | WB 6           | WBZ 26   |
|     |                                                                                      | WB 7           | WBZ 27   |
|     |                                                                                      | WB 8           | WBZ 28   |
|     |                                                                                      | WB 9           | WBZ 29   |
|     |                                                                                      | WB 10          | WBZ 30   |
|     |                                                                                      | WB 11          | WBZ 31   |
|     |                                                                                      | WB 12          | WBZ 32   |
|     |                                                                                      | WB 13          | WBZ 33   |
|     |                                                                                      | WB 14          | WBZ 34   |
|     |                                                                                      | WB 15          | WBZ 35   |
|     |                                                                                      | WB 16          | WBZ 36   |
|     |                                                                                      | WB 17          | WBZ 37   |
|     |                                                                                      | WB 18          | WBD 105L |
|     |                                                                                      | WB 19          | WBD 105P |
|     |                                                                                      | WB 20          | WBD 130L |
|     |                                                                                      | WB 21          | WBD 130P |
|     |                                                                                      | WB 22          | WBD 140L |
|     |                                                                                      | WB 23          | WBD 140P |
|     |                                                                                      | WB 24          | WBD 170L |
|     |                                                                                      | WB 25          | WBD 170P |
|     |                                                                                      | WB 26          | WBD 200L |
|     |                                                                                      | WB 27          | WBD 200P |
|     |                                                                                      | WB 28          | WL 5     |
|     |                                                                                      | WB 29          | WL 6     |
|     |                                                                                      | WB 30          | WL 7     |
|     |                                                                                      | WB 31          | WL 8     |
|     |                                                                                      | WB 32          | WL 9     |
|     |                                                                                      | WB 33          |          |
|     |                                                                                      | WB 34          |          |
|     |                                                                                      | WB 35          |          |
|     |                                                                                      | WB 36          |          |
|     |                                                                                      | WB 37          |          |
|     |                                                                                      | WB 38          |          |
|     |                                                                                      | WB 64          |          |

Figure 72 Scheme 3

| No. | Scheme                                                                            |  | Connector type                                               |
|-----|-----------------------------------------------------------------------------------|--|--------------------------------------------------------------|
| 4   |  |  | LK 1<br>LK 2<br>LK 3<br>LK 4<br>LK 5<br>LK 6<br>LK 7<br>LK 8 |

**Figure 73** Scheme 4

| No. | Scheme                                                                             |  | Connector type |
|-----|------------------------------------------------------------------------------------|--|----------------|
| 5   |  |  | LZ 0           |

**Figure 74** Scheme 5

|                                            |                        |
|--------------------------------------------|------------------------|
| THREE-DIMENSIONAL NAILING PLATES           | ANNEX 3<br>ETA 22/0631 |
| THE LOAD-CARRYING CAPACITIES OF CONNECTORS |                        |

**Table 64** The load-carrying capacities of connectors

| Connector | Type of Load | Timber Moisture<br>[%] | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No. | Note |
|-----------|--------------|------------------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------------|------|
|           |              |                        | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |              |      |
|           |              |                        | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |              |      |
| WB 1      | pressure     | 11±1                   | 350                    | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 | 1                         | testing                 | LOK-672/C/06 | 1)   |
| WB 2      |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 3      |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |
| WB 4      |              |                        |                        | 29.6                     | 25.45                    |                           |                         |              |      |
| WB 5      |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 6      |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |
| WB 7      |              |                        |                        | 29.6                     | 25.45                    |                           |                         |              |      |
| WB 8      |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 9      |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |
| WB 10     |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 11     |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |
| WB 12     |              |                        |                        | 29.6                     | 25.45                    |                           |                         |              |      |
| WB 13     |              |                        |                        | 32.2                     | 27.75                    |                           |                         |              |      |
| WB 14     |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 15     |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |
| WB 16     |              |                        |                        | 29.6                     | 25.45                    |                           |                         |              |      |
| WB 17     |              |                        |                        | 32.2                     | 27.75                    |                           |                         |              |      |
| WB 18     |              |                        |                        | 34.9                     | 32.3                     |                           |                         |              |      |
| WB 19     |              |                        |                        | 19.1 <sup>3</sup> /23.35 | 17.05 <sup>3</sup> /19.0 |                           |                         |              |      |
| WB 20     |              |                        |                        | 27.7                     | 20.3                     |                           |                         |              |      |

| Connector | Type of Load | Timber Moisture<br>[%] | Density<br>[kg*m <sup>3</sup> ] | P <sub>max,mean</sub><br>(350 kg*m <sup>3</sup> )<br>[kN] | P <sub>max,k</sub><br>(350 kg*m <sup>3</sup> )<br>[kN] | Connectors per connection | Method of determination | Document No. | Note |
|-----------|--------------|------------------------|---------------------------------|-----------------------------------------------------------|--------------------------------------------------------|---------------------------|-------------------------|--------------|------|
|           |              |                        |                                 |                                                           |                                                        |                           |                         |              |      |
|           |              |                        |                                 |                                                           |                                                        |                           |                         |              |      |
| WB 21     |              |                        |                                 | 27.7                                                      | 20.3                                                   |                           |                         |              |      |
| WB 22     |              |                        |                                 | 29.6                                                      | 25.45                                                  |                           |                         |              |      |
| WB 23     |              |                        |                                 | 27.7                                                      | 20.3                                                   |                           |                         |              |      |
| WB 24     |              |                        |                                 | 29.6                                                      | 25.45                                                  |                           |                         |              |      |
| WB 25     |              |                        |                                 | 32.2                                                      | 27.75                                                  |                           |                         |              |      |
| WB 26     |              |                        |                                 | 27.7                                                      | 20.3                                                   |                           |                         |              |      |
| WB 27     |              |                        |                                 | 29.6                                                      | 25.45                                                  |                           |                         |              |      |
| WB 28     |              |                        |                                 | 32.2                                                      | 27.75                                                  |                           |                         |              |      |
| WB 29     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 30     |              |                        |                                 | 29.6                                                      | 25.45                                                  |                           |                         |              |      |
| WB 31     |              |                        |                                 | 32.2                                                      | 27.75                                                  |                           |                         |              |      |
| WB 32     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 33     |              |                        |                                 | 32.2                                                      | 27.75                                                  |                           |                         |              |      |
| WB 34     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 35     |              |                        |                                 | 32.2                                                      | 27.75                                                  |                           |                         |              |      |
| WB 36     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 37     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 38     |              |                        |                                 | 34.9                                                      | 32.3                                                   |                           |                         |              |      |
| WB 64     |              | -                      | C24                             | -                                                         | 14.7                                                   |                           | calculation             | WB64-O-01/22 |      |
| WBZ 21    | pressure     | 11±1                   | 350                             | 18.45 <sup>3</sup> /22.40                                 | 12.75 <sup>3</sup> /17.15                              | 1                         | testing                 | LOK-672/C/06 | 1)   |
| WBZ 22    |              |                        |                                 | 33.35 <sup>3</sup> /34.15                                 | 22.35 <sup>3</sup> /23.65                              |                           |                         |              |      |
| WBZ 23    |              |                        |                                 | 18.45 <sup>3</sup> /22.40                                 | 12.75 <sup>3</sup> /17.15                              |                           |                         |              |      |
| WBZ 24    |              |                        |                                 | 33.35 <sup>3</sup> /34.15                                 | 22.35 <sup>3</sup> /23.65                              |                           |                         |              |      |
| WBZ 25    |              |                        |                                 | 37.5                                                      | 30.95                                                  |                           |                         |              |      |
| WBZ 26    |              |                        |                                 | 18.45 <sup>3</sup> /22.40                                 | 12.75 <sup>3</sup> /17.15                              |                           |                         |              |      |

| Connector | Type of Load | Timber Moisture | Density                | P <sub>max,mean</sub>     | P <sub>max,k</sub>        | Connectors per connection | Method of determination | Document No.  | Note |     |       |       |   |
|-----------|--------------|-----------------|------------------------|---------------------------|---------------------------|---------------------------|-------------------------|---------------|------|-----|-------|-------|---|
|           |              |                 | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> )  | (350 kg*m <sup>3</sup> )  |                           |                         |               |      |     |       |       |   |
|           |              | [%]             | [kg*m <sup>3</sup> ]   | [kN]                      | [kN]                      |                           |                         |               |      |     |       |       |   |
| WBZ 27    |              |                 |                        | 33.35 <sup>3</sup> /34.15 | 22.35 <sup>3</sup> /23.65 |                           |                         |               |      |     |       |       |   |
| WBZ 28    |              |                 |                        | 37.5                      | 30.95                     |                           |                         |               |      |     |       |       |   |
| WBZ 29    |              |                 |                        | 31.25                     | 28.65                     |                           |                         |               |      |     |       |       |   |
| WBZ 30    |              |                 |                        | 33.35 <sup>3</sup> /34.15 | 22.35 <sup>3</sup> /23.65 |                           |                         |               |      |     |       |       |   |
| WBZ 31    |              |                 |                        | 37.5                      | 30.95                     |                           |                         |               |      |     |       |       |   |
| WBZ 32    |              |                 |                        | 31.25                     | 28.65                     |                           |                         |               |      |     |       |       |   |
| WBZ 33    |              |                 |                        | 37.5                      | 30.95                     |                           |                         |               |      |     |       |       |   |
| WBZ 34    |              |                 |                        | 31.25                     | 28.65                     |                           |                         |               |      |     |       |       |   |
| WBZ 35    |              |                 |                        | 37.5                      | 30.95                     |                           |                         |               |      |     |       |       |   |
| WBZ 36    |              |                 |                        | 31.25                     | 28.65                     |                           |                         |               |      |     |       |       |   |
| WBZ 37    |              |                 |                        | 31.25                     | 28.65                     |                           |                         |               |      |     |       |       |   |
| WBD 105L  |              |                 |                        | pressure                  | -                         |                           |                         |               |      | C24 | 29.12 | 26.96 | 1 |
| WBD 105P  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 130L  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD130P   |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 140L  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 140P  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 170L  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 170P  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 200L  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| WBD 200P  |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| LK 1      | pressure     | -               | C24                    | 21.26                     | 19.36                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |     |       |       |   |
| LK 2      |              |                 |                        | 22.16                     | 19.25                     |                           |                         |               |      |     |       |       |   |
| LK 3      |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |
| LK 4      |              |                 |                        |                           |                           |                           |                         |               |      |     |       |       |   |

| Connector | Type of Load | Timber Moisture | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No.  | Note          |
|-----------|--------------|-----------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|---------------|---------------|
|           |              |                 | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |               |               |
|           |              | [%]             | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |               |               |
| LK 5      |              |                 |                        | 22.52                    | 19.91                    |                           |                         |               |               |
| LK 6      |              |                 |                        | 22.04                    | 19.35                    |                           |                         |               |               |
| LK 7      |              |                 |                        |                          |                          |                           |                         |               |               |
| LK 8      |              |                 |                        |                          |                          |                           |                         |               |               |
| KG        | pressure     | 12.7            | 421                    | 19.5                     | 14.6                     | 2                         | testing                 | KG-R-01/22    | <sup>2)</sup> |
| WL 5      | pressure     | -               | C24                    | 15.5                     | 14.29                    | 1                         | testing                 | LOK-1289/A/09 | <sup>1)</sup> |
| WL 6      |              |                 |                        |                          |                          |                           |                         |               |               |
| WL 7      |              |                 |                        |                          |                          |                           |                         |               |               |
| WL 8      |              |                 |                        |                          |                          |                           |                         |               |               |
| WL 9      |              |                 |                        |                          |                          |                           |                         |               |               |
| KRD 1     | pressure     | 13.0            | 413                    | 11.1                     | 7.4                      | 2                         | testing                 | KRD-R-01/22   | <sup>2)</sup> |
| KRD 2     |              | 12.9            | 416                    | 12.2                     | 9.5                      |                           |                         |               |               |
| KRD 3     |              | 12.8            | 409                    | 13.1                     | 10.8                     |                           |                         |               |               |
| KRD 4     |              |                 |                        |                          |                          |                           |                         |               |               |
| KMP 1     | pressure     | -               | C24                    | 6.85                     | 6.2                      | 2                         | testing                 | LOK-1289/A/09 | <sup>2)</sup> |
| KMP 2     |              |                 |                        | 6.71                     | 5.91                     |                           |                         |               |               |
| KMP 3     |              |                 |                        | 6.92                     | 6.26                     |                           |                         |               |               |
| KMP 4     |              |                 |                        | 3.82                     | 3.41                     |                           |                         |               |               |
| KMP 5     |              |                 |                        | 6.02                     | 5.51                     |                           |                         |               |               |
| KMP 6     |              |                 |                        | 7.11                     | 6.8                      |                           |                         |               |               |
| KMP 7     |              |                 |                        | 6.12                     | 5.53                     |                           |                         |               |               |
| KMP 8     |              |                 |                        | 7.42                     | 6.57                     |                           |                         |               |               |
| KMP 9     |              |                 |                        | 12.1                     | 10.71                    |                           |                         |               |               |
| KMR 1     | pressure     | -               | C24                    | 6.2                      | 5.52                     | 2                         | testing                 | LOK-1289/A/09 | <sup>2)</sup> |
| KMR 2     |              |                 |                        |                          |                          |                           |                         |               |               |

| Connector | Type of Load | Timber Moisture<br>[%] | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No.  | Note |
|-----------|--------------|------------------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|---------------|------|
|           |              |                        | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |               |      |
|           |              |                        | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |               |      |
| KMR 3     |              |                        |                        | 8.98                     | 8.65                     |                           |                         |               |      |
| KMR 4     |              |                        |                        |                          |                          |                           |                         |               |      |
| KMR 5     |              |                        |                        | 11.91                    | 10.92                    |                           |                         |               |      |
| KMR 6     |              |                        |                        |                          |                          |                           |                         |               |      |
| KMR 7     |              |                        |                        | 4.4                      | 3.7                      |                           |                         |               |      |
| KMR 8     |              |                        |                        | 7.65                     | 6.73                     |                           |                         |               |      |
| KMR 9     |              |                        |                        | 7.55                     | 6.63                     |                           |                         |               |      |
| KMRP 1    | pressure     | -                      | C24                    | 4.37                     | 3.74                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |
| KMRP 2    |              |                        |                        | 8.33                     | 6.9                      |                           |                         |               |      |
| KMRP 3    |              |                        |                        | 8.08                     | 7.4                      |                           |                         |               |      |
| LZ 0      | pull out     | -                      | C24                    | -                        | 1.3                      | 1                         | calculation             | LZ0-O-01/22   | 1)   |
| LZ 1      | pressure     | -                      | C24                    | 4.02                     | 3.62                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |
| LZ 2      |              |                        |                        |                          |                          |                           |                         |               |      |
| LZ 3      |              |                        |                        |                          |                          |                           |                         |               |      |
| KS 1      | pressure     | -                      | C24                    | 3.68                     | 3.44                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |
| KS 2      |              |                        |                        |                          |                          |                           |                         |               |      |
| KS 3      |              |                        |                        | 7.04                     | 6.65                     |                           |                         |               |      |
| KSO 1     | pressure     | -                      | C24                    | 3.95                     | 3.49                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |
| KSO 2     |              |                        |                        |                          |                          |                           |                         |               |      |
| KSO 3     |              |                        |                        | 7.28                     | 6.58                     |                           |                         |               |      |
| KWO 1     | pressure     | -                      | C24                    | 2.9                      | 2.51                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |
| KWO 2     |              |                        |                        |                          |                          |                           |                         |               |      |
| KWO 3     |              |                        |                        |                          |                          |                           |                         |               |      |
| KWO 4     |              |                        |                        |                          |                          |                           |                         |               |      |
| KB 1      | pressure     | -                      | C24                    | 7.84                     | 7.46                     | 2                         | testing                 | LOK-1289/A/09 | 2)   |

| Connector | Type of Load | Timber Moisture | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No. | Note |
|-----------|--------------|-----------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------------|------|
|           |              |                 | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |              |      |
|           |              | [%]             | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |              |      |
| KB 2      |              |                 |                        | 9.04                     | 8.62                     |                           |                         |              |      |
| KB 3      |              |                 |                        |                          |                          |                           |                         |              |      |
| KP 1      | pressure     | 12.5            | 413                    | 32.6                     | 27.2                     | 2                         | testing                 | KP-R-01/22   | 2)   |
| KP 2      |              | 12.7            | 404                    | 40.5                     | 35.2                     |                           |                         |              |      |
| KP 3      |              | 12.9            | 403                    | 29.5                     | 23.1                     |                           |                         |              |      |
| KP 4      |              | 12.7            | 414                    | 23.7                     | 19.6                     |                           |                         |              |      |
| KP 5      |              | 12.9            | 424                    | 35.7                     | 25.7                     |                           |                         |              |      |
| KP 6      |              | 12.8            | 407                    | 43.3                     | 34.6                     |                           |                         |              |      |
| KP 11     |              | 12.6            | 405                    | 28.5                     | 23.1                     |                           |                         |              |      |
| KP 21     |              | 12.6            | 403                    | 38.3                     | 31                       |                           |                         |              |      |
| KPL 1     | pressure     | 12.7            | 401                    | 28.2                     | 22.3                     | 2                         | testing                 | KPL-R-01/22  | 2)   |
| KPL 2     |              | 12.5            | 409                    | 38.4                     | 28.4                     |                           |                         |              |      |
| KPL 3     |              | 12.7            | 424                    | 23.9                     | 20.5                     |                           |                         |              |      |
| KPL 4     |              | 12.8            | 405                    | 21.2                     | 18.5                     |                           |                         |              |      |
| KL 1      | pressure     | 12.7            | 410                    | 14                       | 11                       | 2                         | testing                 | KL-R-01/22   | 2)   |
| KL 2      |              | 12.8            | 401                    | 24.4                     | 20.2                     |                           |                         |              |      |
| KL 3      |              | 12.7            | 406                    | 17.7                     | 15.2                     |                           |                         |              |      |
| KL 4      |              | 13              | 401                    | 24.8                     | 21.9                     |                           |                         |              |      |
| KL 5      |              | 12.9            | 405                    | 31.2                     | 27.6                     |                           |                         |              |      |
| KW 1      | pressure     | 12.8            | 413                    | 7.2                      | 6                        | 2                         | testing                 | KW-R-01/22   | 2)   |
| KW 2      |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 3      |              | 12.9            | 402                    | 7.3                      | 5.5                      |                           |                         |              |      |
| KW 4      |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 5      |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 6      |              | 12.7            | 409                    | 12.6                     | 10.9                     |                           |                         |              |      |

| Connector | Type of Load | Timber Moisture | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No. | Note |
|-----------|--------------|-----------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------------|------|
|           |              |                 | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |              |      |
|           |              | [%]             | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |              |      |
| KW 7      |              | 12.7            | 430                    | 14.7                     | 11.1                     |                           |                         |              |      |
| KW 25     |              | 12.6            | 407                    | 7.6                      | 5.6                      |                           |                         |              |      |
| KW 30     |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 40     |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 50     |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 60     |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 80     |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 100    |              | 12.9            | 410                    | 9.7                      | 7.6                      |                           |                         |              |      |
| KW 125    |              |                 |                        |                          |                          |                           |                         |              |      |
| KW 150    |              |                 |                        |                          |                          |                           |                         |              |      |
| KK 1      | pressure     | 12.9            | 400                    | 14.4                     | 11.6                     | 2                         | testing                 | KK-R-01/22   | 2    |
| KK 2      |              | 12.7            | 405                    | 16.6                     | 13.1                     |                           |                         |              |      |
| KK 3      |              | 12.8            | 400                    | 16.6                     | 14.7                     |                           |                         |              |      |
| KK 21     | pull out     | 12.9            | 405                    | 25.5                     | 19.9                     |                           |                         | KK-R-02/22   |      |
| KK 22     |              | 12.8            | 420                    | 27.4                     | 22.5                     |                           |                         |              |      |
| KK 23     |              | 12.8            | 420                    | 29.3                     | 25.9                     |                           |                         |              |      |
| KM 1      | pressure     | -               | C24                    | -                        | 14                       | 2                         | calculation             | KM-O-01/22   | 2)   |
| KM 2      |              | -               | C24                    | -                        | 14                       |                           | testing                 | KM-R-01/22   |      |
| KM 3      |              | 12.8            | 410                    | 16.1                     | 14                       |                           | calculation             | KM-O-01/22   |      |
| KM 4      |              | -               | C24                    | -                        | 15.2                     |                           | testing                 | KM-R-01/22   |      |
| KM 5      |              | -               | C24                    | -                        | 19.88                    |                           | calculation             | KM-O-01/22   |      |
| KM 6      |              | 12.7            | 403                    | 31.6                     | 26.3                     |                           | testing                 | KM-R-01/22   |      |
| KM 7      |              | -               | C24                    | -                        | 14.8                     |                           | calculation             | KM-O-01/22   |      |
| KM 8      |              | 12.8            | 413                    | 19.2                     | 15.6                     |                           | testing                 | KM-R-01/22   |      |
| KM 9      |              | -               | C24                    | -                        | 26.83                    |                           | calculation             | KM-O-01/22   |      |
| KM 10     |              | 12.8            | 413                    | 32.9                     | 27.9                     |                           | testing                 | KM-R-01/22   |      |

| Connector      | Type of Load | Timber Moisture | Density                | P <sub>max,mean</sub>    | P <sub>max,k</sub>       | Connectors per connection | Method of determination | Document No.  | Note |
|----------------|--------------|-----------------|------------------------|--------------------------|--------------------------|---------------------------|-------------------------|---------------|------|
|                |              |                 | p <sub>mean, 12%</sub> | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |               |      |
|                |              | [%]             | [kg*m <sup>3</sup> ]   | [kN]                     | [kN]                     |                           |                         |               |      |
| KM 11          |              | -               | C24                    | -                        | 19.88                    |                           | calculation             | KM-O-01/22    |      |
| KM 12          |              | -               | C24                    | -                        | 28.54                    |                           | testing                 | KM-R-01/22    |      |
| KM 13          |              | 12.6            | 410                    | 33.4                     | 29.5                     |                           | calculation             | KM-O-01/22    |      |
| KM 14          |              | -               | C24                    | -                        | 14.8                     |                           |                         |               |      |
| KM 15          |              | -               | C24                    | -                        | 24.16                    |                           |                         |               |      |
| KM 19          |              | -               | C                      | -                        | 15.2                     |                           |                         |               |      |
| KM 20          |              | -               | C24                    | -                        | 13.6                     |                           |                         |               |      |
| KM 1 (2.5 mm)  | pressure     | -               | C24                    | -                        | 15                       | 2                         | calculation             | KM2,5-O-01/22 | 2)   |
| KM 2 (2.5 mm)  |              | 12.6            | 411                    | 17.2                     | 15                       |                           | testing                 | KM2,5-R-01/22 |      |
| KM 4 (2.5 mm)  |              | -               | C24                    | -                        | 17.8                     |                           | calculation             | KM2,5-O-01/22 |      |
| KM 5 (2.5 mm)  |              | -               | C24                    | -                        | 22.9                     |                           | testing                 | KM2,5-R-01/22 |      |
| KM 6 (2.5 mm)  |              | 12.7            | 411                    | 34.4                     | 28                       |                           |                         |               |      |
| KM 7 (2.5 mm)  |              | 12.8            | 408                    | 19.2                     | 16.1                     |                           |                         |               |      |
| KM 9 (2.5 mm)  |              | -               | C24                    | -                        | 28.53                    |                           | calculation             | KM2,5-O-01/22 |      |
| KM 10 (2.5 mm) |              | 12.9            | 411                    | 33.9                     | 29.6                     |                           | testing                 | KM2,5-R-01/22 |      |
| KM 11 (2.5 mm) |              | -               | C24                    | -                        | 22.9                     |                           | calculation             | KM2,5-O-01/22 |      |
| KM 12 (2.5 mm) |              | -               | C24                    | -                        | 30.68                    |                           | testing                 | KM2,5-R-01/22 |      |
| KM 13 (2.5 mm) |              | 12.9            | 410                    | 37.6                     | 32.3                     |                           | calculation             | KM2,5-O-01/22 |      |
| KM 14 (2.5 mm) |              | -               | C24                    | -                        | 16.1                     |                           |                         |               |      |
| KM 15 (2.5 mm) |              | -               | C24                    | -                        | 26.3                     |                           |                         |               |      |
| KM 16 (2.5 mm) |              | -               | C24                    | -                        | 16.1                     |                           |                         |               |      |
| KM 17 (2.5 mm) |              | -               | C24                    | -                        | 15                       |                           |                         |               |      |
| KM 18 (2.5 mm) |              | -               | C24                    | -                        | 16.1                     |                           |                         |               |      |
| KM 19 (2.5 mm) |              | -               | C24                    | -                        | 17.8                     |                           |                         |               |      |
| KM 20 (2.5 mm) |              | -               | C24                    | -                        | 14.45                    |                           |                         |               |      |
| LBZ 95         | pull out     | 13              | 407                    | 21.7                     | 18.4                     | 2                         | testing                 | LBZ-R-01/22   | 2)   |


| Connector | Type of Load | Timber Moisture | Density                 | $P_{\max, \text{mean}}$  | $P_{\max, k}$            | Connectors per connection | Method of determination | Document No. | Note |
|-----------|--------------|-----------------|-------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------------|------|
|           |              |                 | $p_{\text{mean}, 12\%}$ | (350 kg*m <sup>3</sup> ) | (350 kg*m <sup>3</sup> ) |                           |                         |              |      |
|           |              |                 | [%]                     | [kg*m <sup>3</sup> ]     | [kN]                     |                           |                         |              |      |
| LBZ 135   |              | 13              | 432                     | 37                       | 29.2                     |                           | calculation             | LBZ-O-01/22  |      |
| LBZ 285   |              | -               | C24                     | -                        | 50.6                     |                           |                         |              |      |

<sup>1)</sup> The forces are given for the complete connection consisting of one connector.


<sup>2)</sup> The forces are given for the complete connection consisting of two connectors, hence force per one connector (one angle bracket) is half of the given value.

<sup>3)</sup> Partial nailing acc. to DMX-G-01/22


It is always necessary to put nails in the black marked holes. This is the only one proper pattern. Too many or too long nails can weaken the wood, when are quite close to edge (rule is stated below).




**Figure 75** Rule for placement nails




**Figure 76** Type KB 1




**Figure 77** Type KB 2




**Figure 78** Type KB 3




**Figure 79** Type KG




**Figure 80** Type KK 1




**Figure 81** Type KK 2




**Figure 82** Type KK 3




**Figure 83** Type KK 21




**Figure 84** Type KK 22




**Figure 85** Type KK 23




**Figure 86** Type KL 1




**Figure 87** Type KL 2




**Figure 88** Type KL 3




**Figure 89** Type KL 4




**Figure 90** Type KL 5




**Figure 91** Type KM 1 (2.5 mm)




**Figure 92** Type KM 2 (2.5 mm)




**Figure 93** Type KM 3




**Figure 94** Type KM 4 (2.5 mm)




**Figure 95** Type KM 5 (2.5 mm)




**Figure 96** Type KM 6 (2.5 mm)




**Figure 97** Type KM 7 (2.5 mm)




**Figure 98** Type KM 8




**Figure 99** Type KM 9 (2.5 mm)




**Figure 100** Type KM 10 (2.5 mm)




**Figure 101** Type KM 11 (2.5 mm)




**Figure 102** Type KM 12 (2.5 mm)




**Figure 103** Type KM 13 (2.5 mm)




**Figure 104** Type KM 14 (2.5 mm)




**Figure 105** Type KM 15 (2.5 mm)




**Figure 106** Type KM 16 (2.5 mm)




**Figure 107** Type KM 17 (2.5 mm)




**Figure 108** Type KM 18 (2.5 mm)




**Figure 109** Type KM 19 (2.5 mm)




**Figure 110** Type KM 20 (2.5 mm)




**Figure 111** Type KMP 1




**Figure 112** Type KMP 2




**Figure 113** Type KMP 3




**Figure 114** Type KMP 4




**Figure 115** Type KMP 5




**Figure 116** Type KMP 6




**Figure 117** Type KMP 7



**Figure 118** Type KMP 8




**Figure 119** Type KMP 9




**Figure 120** Type KMR 1 and KMR 2




**Figure 121** Type KMR 3 and KMR 4




**Figure 122** Type KMR 5 and KMR 6




**Figure 123** Type KMR 7




**Figure 124** Type KMR 8




**Figure 125** Type KMR 9




**Figure 126** Type KMRP 1




**Figure 127** Type KMRP 2




**Figure 128** Type KMRP 3




**Figure 129** Type KP 1 and KPL 1




**Figure 130** Type KP 2 and KPL 2




**Figure 131** Type KP 3 and KPL 3




**Figure 132** Type KP 4 and KPL 4




**Figure 133** Type KP 5




**Figure 134** Type KP 6




**Figure 135** Type KP 11




**Figure 136** Type KP 21




**Figure 137** Type KRD 1




**Figure 138** Type KRD 2




**Figure 139** Type KRD 3 and KRD 4




**Figure 140** Type KS 1, KS 2, KSO 1 and KSO 2




**Figure 141** Type KS 3 and KSO 3




**Figure 142** Type KW 1, KW 2, KW 3, KW 4, KW 5, KW 6, KW 7, KWO 1, KWO 2, KWO 3, KWO 4




**Figure 143** Type KW 25, KW 30, KW 40, KW 50 and KW 60




**Figure 144** Type KW 80, KW 100, KW 125, KW 150




**Figure 145** Type LBZ 95




**Figure 146** Type LBZ 135




**Figure 147** Type LBZ 285




**Figure 148** Type LK 1




**Figure 149** Type LK 2




**Figure 150** Type LK 3




**Figure 151** Type LK 4




**Figure 152** Type LK 5




**Figure 153** Type LK 6




**Figure 154** Type LK 7




**Figure 155** Type LK 8




**Figure 156** Type LZ 0



**Figure 157** Type LZ 1, LZ 2 and LZ 3




**Figure 158** Type WB 1, WB 2, WB 5, WB 8, WB 10, WB 14, WB 19




\* Incomplete nailing


**Figure 159** Type WB 1, WB 2, WB 5, WB 8, WB 10, WB 14, WB 19




**Figure 160** Type WB 3, WB 6, WB 9, WB 11, WB 15, WB 20, WB 21, WB 23, WB 26




**Figure 161** Type WB 4, WB 7, WB 12, WB 16, WB 22, WB 24, WB 27, WB 30




**Figure 162** Type WB 13, WB 17, WB 25, WB 28, WB 31, WB 33, WB 35




**Figure 163** Type WB 18, WB 29, WB 32, WB 34, WB 36, WB 37, WB 38




**Figure 164** Type WB 64




**Figure 165** Type WBD 105 L, WBD 105 P, WBD 130 L, WBD 130 P, WBD 140 L, WBD 140 P, WBD 170 L, WBD 170 P, WBD 200 L, WBD 200 P




**Figure 166** Type WL 5, WL 6, WL 7, WL 8, WL 9




**Figure 167** Type WBZ 21, WBZ 23, WBZ 26



**Figure 168** Type WBZ 21, WBZ 23, WBZ 26




**Figure 169** Type WBZ 22, WBZ 24, WBZ 27, WBZ 30




\* Incomplete nailing

**Figure 170** Type WBZ 22, WBZ 24, WBZ 27, WBZ 30



**Figure 171** Type WBZ 25, WBZ 28, WBZ 31, WBZ 33, WBZ 35



**Figure 172** Type WBZ 29, WBZ 32, WBZ 34, WBZ 36, WBZ 37

|                                             |                               |
|---------------------------------------------|-------------------------------|
| <b>THREE-DIMENSIONAL NAILING PLATES</b>     | <b>ANNEX 5</b><br>ETA 22/0631 |
| <b>SPECIFICATION OF CONNECTION ELEMENTS</b> |                               |

**Table 65** Specification of connection elements

| Connector | Dowel type fasteners      | Fasteners per Detail<br>[pc.] | Fasteners per Connection<br>[pc.] |
|-----------|---------------------------|-------------------------------|-----------------------------------|
| WB 1      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 2      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 3      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 4      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 5      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 6      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 7      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 8      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 9      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 10     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 11     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 12     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 13     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 14     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 15     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 16     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 17     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 18     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 19     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                          | 8\12                              |
| WB 20     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 21     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 22     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 23     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 24     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 25     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 26     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                            | 16                                |
| WB 27     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 28     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 29     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 30     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 20                            | 20                                |
| WB 31     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 32     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 33     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 34     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 35     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                            | 24                                |
| WB 36     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 37     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |
| WB 38     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                            | 28                                |

| Connector | Dowel type fasteners      | Fasteners per Detail [pc.] | Fasteners per Connection [pc.] |
|-----------|---------------------------|----------------------------|--------------------------------|
| WB 64     | ANCHOR Ø4x50/ANCHOR Ø4x50 | 12                         | 12                             |
| WBZ 21    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                       | 8\12                           |
| WBZ 22    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16\20                      | 16\20                          |
| WBZ 23    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                       | 8\12                           |
| WBZ 24    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16\20                      | 16\20                          |
| WBZ 25    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                         | 24                             |
| WBZ 26    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 8\12                       | 8\12                           |
| WBZ 27    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16\20                      | 16\20                          |
| WBZ 28    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                         | 24                             |
| WBZ 29    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                         | 28                             |
| WBZ 30    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16\20                      | 16\20                          |
| WBZ 31    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                         | 24                             |
| WBZ 32    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                         | 28                             |
| WBZ 33    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                         | 24                             |
| WBZ 34    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                         | 28                             |
| WBZ 35    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 24                         | 24                             |
| WBZ 36    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                         | 28                             |
| WBZ 37    | ANCHOR Ø4x50/ANCHOR Ø4x50 | 28                         | 28                             |
| WBD 105L  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 105P  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 130L  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD130P   | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 140L  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 140P  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 170L  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 170P  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 200L  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| WBD 200P  | ANCHOR Ø4x50/ANCHOR Ø4x50 | 16                         | 32                             |
| LK 1      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 2      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 3      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 4      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 5      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 6      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 7      | ANCHOR Ø4x50              | 20                         | 40                             |
| LK 8      | ANCHOR Ø4x50              | 20                         | 40                             |
| KG        | ANCHOR Ø3.1x50            | 14                         | 28                             |
| WL 5      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 6                          | 6                              |
| WL 6      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 6                          | 6                              |
| WL 7      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 6                          | 6                              |
| WL 8      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 6                          | 6                              |

| Connector | Dowel type fasteners      | Fasteners per Detail<br>[pc.] | Fasteners per Connection<br>[pc.] |
|-----------|---------------------------|-------------------------------|-----------------------------------|
| WL 9      | ANCHOR Ø4x50/ANCHOR Ø4x50 | 6                             | 6                                 |
| KRD 1     | ANCHOR Ø4x50              | 8                             | 16                                |
| KRD 2     | ANCHOR Ø4x50              | 8                             | 16                                |
| KRD 3     | ANCHOR Ø4x50              | 9                             | 18                                |
| KRD 4     | ANCHOR Ø4x50              | 9                             | 18                                |
| KMP 1     | ANCHOR Ø4x50              | 8                             | 16                                |
| KMP 2     | ANCHOR Ø4x50              | 8                             | 16                                |
| KMP 3     | ANCHOR Ø4x50              | 8                             | 16                                |
| KMP 4     | ANCHOR Ø4x50              | 8                             | 16                                |
| KMP 5     | ANCHOR Ø4x50              | 14                            | 28                                |
| KMP 6     | ANCHOR Ø4x50              | 20                            | 40                                |
| KMP 7     | ANCHOR Ø4x50              | 12                            | 24                                |
| KMP 8     | ANCHOR Ø4x50              | 16                            | 32                                |
| KMP 9     | ANCHOR Ø4x50              | 28                            | 56                                |
| KMR 1     | ANCHOR Ø4x50              | 10                            | 20                                |
| KMR 2     | ANCHOR Ø4x50              | 10                            | 20                                |
| KMR 3     | ANCHOR Ø4x50              | 18                            | 36                                |
| KMR 4     | ANCHOR Ø4x50              | 18                            | 36                                |
| KMR 5     | ANCHOR Ø4x50              | 29                            | 58                                |
| KMR 6     | ANCHOR Ø4x50              | 29                            | 58                                |
| KMR 7     | ANCHOR Ø4x50              | 5                             | 10                                |
| KMR 8     | ANCHOR Ø4x50              | 11                            | 22                                |
| KMR 9     | ANCHOR Ø4x50              | 17                            | 34                                |
| KMRP 1    | ANCHOR Ø4x50              | 5                             | 10                                |
| KMRP 2    | ANCHOR Ø4x50              | 11                            | 22                                |
| KMRP 3    | ANCHOR Ø4x50              | 17                            | 34                                |
| LZ 0      | ANCHOR Ø4x50              | 7                             | 7                                 |
| LZ 1      | ANCHOR Ø4x50              | 10                            | 20                                |
| LZ 2      | ANCHOR Ø4x50              | 10                            | 20                                |
| LZ 3      | ANCHOR Ø4x50              | 10                            | 20                                |
| KS 1      | ANCHOR Ø4x50              | 4                             | 8                                 |
| KSO 1     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KS 2      | ANCHOR Ø4x50              | 4                             | 8                                 |
| KSO 2     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KS 3      | ANCHOR Ø4x50              | 8                             | 16                                |
| KSO 3     | ANCHOR Ø4x50              | 8                             | 16                                |
| KWO 1     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KWO 2     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KWO 3     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KWO 4     | ANCHOR Ø4x50              | 4                             | 8                                 |
| KB 1      | ANCHOR Ø4x50              | 5                             | 10                                |

| Connector | Dowel type fasteners                                  | Fasteners per Detail [pc.] | Fasteners per Connection [pc.] |
|-----------|-------------------------------------------------------|----------------------------|--------------------------------|
| KB 2      | ANCHOR Ø4x50                                          | 7                          | 14                             |
| KB 3      | ANCHOR Ø4x50                                          | 7                          | 14                             |
| KP 1      | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KPL 1     | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KP 2      | ANCHOR Ø4x50                                          | 20                         | 40                             |
| KPL 2     | ANCHOR Ø4x50                                          | 20                         | 40                             |
| KP 3      | ANCHOR Ø4x50                                          | 14                         | 28                             |
| KPL 3     | ANCHOR Ø4x50                                          | 14                         | 28                             |
| KP 4      | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KPL 4     | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KP 5      | ANCHOR Ø4x50                                          | 18                         | 36                             |
| KP 6      | ANCHOR Ø4x50                                          | 25                         | 50                             |
| KP 11     | ANCHOR Ø4x50                                          | 13                         | 26                             |
| KP 21     | ANCHOR Ø4x50                                          | 18                         | 36                             |
| KL 1      | ANCHOR Ø4x50                                          | 8                          | 16                             |
| KL 2      | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KL 3      | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KL 4      | ANCHOR Ø4x50                                          | 16                         | 32                             |
| KL 5      | ANCHOR Ø4x50                                          | 20                         | 40                             |
| KW 1      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 2      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 3      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 4      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 5      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 6      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 7      | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 25     | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 30     | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 40     | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 50     | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 60     | ANCHOR Ø4x50                                          | 4                          | 8                              |
| KW 80     | ANCHOR Ø4x50                                          | 6                          | 12                             |
| KW 100    | ANCHOR Ø4x50                                          | 6                          | 12                             |
| KW 125    | ANCHOR Ø4x50                                          | 6                          | 12                             |
| KW 150    | ANCHOR Ø4x50                                          | 6                          | 12                             |
| KK 1      | ANCHOR Ø4x50                                          | 14                         | 28                             |
| KK 2      | ANCHOR Ø4x50                                          | 20                         | 40                             |
| KK 3      | ANCHOR Ø4x50                                          | 26                         | 52                             |
| KK 21     | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8 (washer ISO 7094) | 14\1                       | 28\2                           |
| KK 22     | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8 (washer ISO 7094) | 24\1                       | 48\2                           |
| KK 23     | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8                   | 30\1                       | 60\2                           |

| Connector     | Dowel type fasteners                                     | Fasteners per Detail [pc.] | Fasteners per Connection [pc.] |
|---------------|----------------------------------------------------------|----------------------------|--------------------------------|
|               | (washer ISO 7094)                                        |                            |                                |
| KM 1          | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 2          | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 3          | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 4          | ANCHOR Ø4x50                                             | 14                         | 28                             |
| KM 5          | ANCHOR Ø4x50                                             | 20                         | 40                             |
| KM 6          | ANCHOR Ø4x50                                             | 26                         | 52                             |
| KM 7          | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 8          | ANCHOR Ø4x50                                             | 16                         | 32                             |
| KM 9          | ANCHOR Ø4x50                                             | 28                         | 56                             |
| KM 10         | ANCHOR Ø4x50                                             | 32                         | 64                             |
| KM 11         | ANCHOR Ø4x50                                             | 20                         | 40                             |
| KM 12         | ANCHOR Ø4x50                                             | 36                         | 72                             |
| KM 13         | ANCHOR Ø4x50                                             | 42                         | 84                             |
| KM 14         | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 15         | ANCHOR Ø4x50                                             | 24                         | 48                             |
| KM 19         | ANCHOR Ø4x50                                             | 14                         | 28                             |
| KM 20         | ANCHOR Ø4x50                                             | 6                          | 12                             |
| KM 1 (2,5mm)  | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 2 (2,5mm)  | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 4 (2,5mm)  | ANCHOR Ø4x50                                             | 14                         | 28                             |
| KM 5 (2,5mm)  | ANCHOR Ø4x50                                             | 20                         | 40                             |
| KM 6 (2,5mm)  | ANCHOR Ø4x50                                             | 26                         | 52                             |
| KM 7 (2,5mm)  | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 9 (2,5mm)  | ANCHOR Ø4x50                                             | 28                         | 56                             |
| KM 10 (2,5mm) | ANCHOR Ø4x50                                             | 32                         | 64                             |
| KM 11 (2,5mm) | ANCHOR Ø4x50                                             | 20                         | 40                             |
| KM 12 (2,5mm) | ANCHOR Ø4x50                                             | 36                         | 72                             |
| KM 13 (2,5mm) | ANCHOR Ø4x50                                             | 42                         | 84                             |
| KM 14 (2,5mm) | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 15 (2,5mm) | ANCHOR Ø4x50                                             | 24                         | 48                             |
| KM 16 (2,5mm) | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 17 (2,5mm) | ANCHOR Ø4x50                                             | 8                          | 16                             |
| KM 18 (2,5mm) | ANCHOR Ø4x50                                             | 12                         | 24                             |
| KM 19 (2,5mm) | ANCHOR Ø4x50                                             | 14                         | 28                             |
| KM 20 (2,5mm) | ANCHOR Ø4x50                                             | 6                          | 12                             |
| LBZ 95        | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8<br>(washer ISO 7094) | 5\1                        | 10\2                           |
| LBZ 135       | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8<br>(washer ISO 7094) | 8\1                        | 16\2                           |
| LBZ 285       | ANCHOR Ø4x50/ISO 4014 M 12x35 - 8.8<br>(washer ISO 7094) | 14\1                       | 28\1                           |

|                                         |                               |
|-----------------------------------------|-------------------------------|
| <b>THREE-DIMENSIONAL NAILING PLATES</b> | <b>ANNEX 6</b><br>ETA 22/0631 |
| <b>REFERENCE DOCUMENTS</b>              |                               |

- [1] European Assessment Document 130186-00-0603, edition July 2018,  
Three-dimensional nailing plates
- [2] EN 10346 Continuously hot-dip coated steel flat products - Technical delivery  
conditions
- [3] EN 10131 Cold rolled uncoated and zinc or zinc-nickel electrolytically coated low  
carbon and high yield strength steel flat products for cold forming - Tolerances on  
dimensions and shape
- [4] EN 10025-2 Hot rolled products of structural steels - Part 2: Technical delivery  
conditions for non-alloy structural steels
- [5] EN 14592+A1 Timber structures - Dowel-type fasteners – Requirements
- [6] EN 1995-1-1 Eurocode 5: Design of timber structures - Part 1-1: General - Common  
rules and rules for buildings
- [7] EN ISO 12944-2 Paints and varnishes - Corrosion protection of steel structures by  
protective paint systems - Part 2: Classification of environments
- [8] EN ISO 8970 Timber structures - Testing of joints made with mechanical fasteners -  
Requirements for wood density
- [9] EN 26891 Timber structures – Joints made with mechanical fasteners – General  
principles for the determination of strength and deformation characteristics
- [10] EN 384+A2 Structural timber – Determination of characteristic values of mechanical  
properties and density
- [11] EN 13183-2 Moisture content of a piece of sawn timber - Part 2: Estimation by  
electrical resistance method
- [12] EN 1309-1 Round and sawn timber - Method of measurement of dimensions - Part 1:  
Sawn timber
- [13] EN 14358 Timber structures – Calculation and verification of characteristic values
- [14] EN 13501-1 Fire classification of construction products and building elements -  
Part 1: Classification using test data from reaction to fire tests
- [15] EN 10130 Cold rolled low carbon steel flat products for cold forming - Technical  
delivery conditions